




Ventilation Parts

MIV-20 PROTECITVE VENT





- ->Maintain high airflow in large outdoor enclosure.
- -> Equalize pressure and reduce condensation by allowing air to flow freely into and out of sealed large enclosures.
- ->Simple and flat design meets any type of enclosures.
- ->IP68 protection class(2meters/60min.) and -40° C to +125° C operating temp.range.Best to use under the tough environment.
- -> Compliant with Solar Industry Testing IEC62108.
- ->Installing on the side face of enclosures is effective for outdoor use.



Technical Data

Typical airflow	5L/min(dp=70mbar)				
IP PROTECTION	IP68				
Recommended torque	0.8Nm				
Enviromental	IEC529,2nd(Protection class):IP66.IP67.IP68(Immersion:2meters/60min.)IP69K IEC60068-2-1,2,14(Heat resistance):-40°C-+125°C IEC600-2-78(Humidity testing):85°.85%humidity-1000 hours IEC62108.10.8.9(Solor industry testing):Humidity freeze-High temperature,Hail impact test. UL94V-0f1(Flame resistant)				

Part no./Components

Part r	no.	Material				G		
		① Housing	@Membrane	③O-ring	4 Lock nut	Thread size	Mount hole	
MIV-	MIV-20	PA6	FILTER	Silicone	PA6	M20x1.5	Ф22	
MIV-2	20B		FILIER	Silicone	PAO	W12UX1.5	Ψ22	